

Machine Features



- Cutting Envelope
 - 1" x 13"
 - 2" x 12"
 - 3" x 11"
 - 4" x 10"
 - 4-1/2" x 8"



- 10HP arbor motor.



- Pneumatic hook up with slide shut off, filter lubricator, and regulator.



- Foot pedal control.

Machine Features



- 18", 120T Tungsten Carbide Tipped Blade included.
- Full cavity enclosure for better dust control.



- UL/CE Certified electrical components inside dust proof box



- Quick hood adjustment allows operator to set minimum clearance over part for increased productivity and safety.



- Full guard with clear view windows protects operator while maintaining visibility at point of cut.

NORTHTECH
Machine, LLC

www.NorthtechMachine.com

Machine Features



- Front mounted Emergency Stop for quick access, shuts electrical power off to blade and immediately terminates air supply returning clamp and blade to home position.



- Control center with pneumatic shut off.



- Double action cylinder ensures part hold before blade begins cut.



- Blade cycle adjustment is easily controlled from the front of the machine through quick lock knobs.

Machine Features



- Slotted T Clamp allows for a full fence with zero kerf blade clearance.
- Only Up Cut saw available with a backer to prevent blow out.
- Provides the best cut available, while preventing cut-offs from entering blade chamber, which can damage blade.
- Backer can be replaced in minutes to maintain the best cut quality.



- Industry leading dust control means no more piles of dust under the saw.
- Brushes fitted around the arbor, allowing unrestricted movement while keeping dust inside the cutting cavity.



- 4" second dust port improves dust collection even more by collecting chips as the blade clears the top face of the product. (not included)
- Requires an additional 436CFM at point of extraction.



- Unconnected stand alone operating sound level of 78db.

NORTHTECH
Machine, LLC

www.NorthtechMachine.com

Machine Options



- Optional hard stop with speed handle locking. (not included)



- Optional safety interlock for blade access. (not included)



- Optional segregated line and control voltage upon request. (not included)



- Optional two handed button actuation in place of foot pedal. (not included)

Machine Options



- Optional Trap door style dump bins allow for over 33% more capacity within the same footprint when compared to tilt hoppers.
- Mobile latch release allows operator to dump without getting off of the seat.
- Requires no more floor space as its underneath of the outfeed with dimensions of 24" x 30" x 58"
- Conveniently located for quick end chops disposal.

Machine Features



NORTHTECH
Machine, LLC

www.NorthtechMachine.com