

Machine Features



BELT TENSIONER ADJUSTMENT

- Quick and easy access to belt adjustments.
 - Rollers are precision balanced for vibration free operation.
-



DUST HOODS / GUARDS

- Northtech utilizes dual end guards for full dust control, and operator safety.
-



OSCILLATING

- Northtech Edge Sanders employ a direct oscillation drive gear for reduced energy consumption and more dependability over pneumatic systems.
-



BASE

- Heavy duty base is a cast constructed frame for vibration reduction and stability when working.

Machine Features



BACKER

- Full 9" graphite backer allows total use of sandbelt.



TILT

- All Northtech side tables are tiltable from 0-45°.



TABLE ELEVATION

- Table is raised and lowered individually through a synchronized dual shaft worm gear elevation system.
- 6" of elevation



CENTRAL STATION

- Controls conveniently located, and equipped with operational lights.

Machine Features



Db Rating

- Unconnected standalone operating sound level of 75db.



TOOL BOX AND MANUAL

- Tool box including applicable tools as well as operator manual are included.



OPTIONAL

- Double sided table for an additional work cell comes with 7.5 HP upgrade to prevent belt stalls during simultaneous sanding operations.
- Side table dimensions: (2) 10-1/2" x 48"
- Sanding belt size: 9" x 142" (Included)
- Machine / Packing Dimensions: 79" x 29" x 52" / 83" x 34" x 53"
- Net / Gross Weight: 910 lbs / 1,104 lbs

NORTHTECH

Machine, LLC



102 Walnut Street
Borden, IN 47106
(812) 967-7400 Fax (812) 967-7401
www.NorthtechMachine.com info@NorthtechMachine.com