Machine Features

MOTOR

- 5HP TEFC main motor

BELT TENSIONER ADJUSTMENT

- Quick and easy access to belt adjustments.
- Rollers are precision balanced for vibration free operation.

DUST HOODS / GUARDS

- Northtech utilizes dual end guards for full dust control, and operator safety.

OSCILLATING

- Northtech Edge Sanders employ a direct oscillation drive gear for reduced energy consumption and more dependability over pneumatic systems.

Machine Features

BACKER

- Full 6.5" x 72" graphite backer allows total use of sandbelt.

TILT

- All Northtech side tables are tiltable from 0-45°.
- Position is held by double locking speed handles.

TABLE ELEVATION

- Table is raised and lowered individually through a synchronized dual shaft worm gear elevation system which prevents the table from dropping in between set ups.
- 6" of elevation

CENTRAL CONTROL STATION

- Controls conveniently located and equipped with operational lights.

NORTHTECH
Machine, LLC

www.NorthtechMachine.com

Machine Features

DRIVE ROLLER

- 7" x 9-5/8" rubber coated drive roller prevents belt from slipping when under a load.
- Quick turn knob for belt tracking is readily accessible outside the dust hood.

BASE

- Heavy duty base is a cast constructed frame for vibration reduction and stability when working.

STEEL END TABLE

- 13" x 16", 0-45° tiltable end table with hand turn elevation control.
- The geared positioner keeps table from dropping in between set ups.

Sound Rating

- This machine designated with a soft sound decibel rating of 75db.

NORTHTECH
Machine, LLC

www.NorthtechMachine.com

Machine Features

TOOL BOX AND MANUAL

- Tool box and applicable tools as well as operator manual are included.